

IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strikethrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 1, 3 and 4, and ADD new claims 12 and 13 in accordance with the following:

1. (Currently Amended) A washing machine, comprising:
a water tub;
a washing tub rotatably disposed in the water tub;
a water supply unit to supply water from an external water source to the washing tub;
a colloidal silver maker coupled to the water supply unit to directly receive water from the
~~ater supply unit having an inlet hole to receive wash water and producing colloidal silver-~~
~~containing wash water that contains colloidal silver;~~
a detergent feeder connected to the colloidal silver maker to receiveing the colloidal
silver-containing wash water from the colloidal silver maker and feeding ~~at~~he detergent/colloidal
silver-containing wash water to the ~~water~~washing tub, the detergent feeder having a body
opened at a front thereof and a detergent container sliding through the open front of the body;
and
an outlet pipe provided at a side of the colloidal silver maker to feed the colloidal silver-
containing wash water from the colloidal silver maker to the detergent feeder, the outlet pipe
being disposed between the colloidal silver maker and the detergent feeder and integrally
formed with the colloidal silver maker and the detergent feeder so that the colloidal silver-
containing wash water produced from the colloidal silver maker is supplied to the washing tub
through the detergent feeder~~and connecting the colloidal silver maker to the detergent feeder~~
~~into a single structure.~~

2. (Original) The washing machine according to claim 1, further comprising:
a connecting part provided between the colloidal silver maker and the detergent feeder to
integrally connect the colloidal silver maker to the detergent feeder, the connecting part
integrating the colloidal silver maker with the detergent feeder into the single structure, in

cooperation with the outlet pipe.

3. (Currently Amended) The washing machine according to claim 1, wherein the colloidal silver maker comprises:

a silver ion ~~easting~~casing to define a water passage through which water passes; and
a pair of silver plates placed in the water passage of the silver ion ~~easting~~casing to generate silver ions.

4. (Currently Amended) The washing machine according to claim 3, wherein the colloidal silver maker further comprises:

a lid mounted to an upper portion of the silver ion ~~easting~~casing with an inlet hole being provided on a predetermined portion of the lid to feed the water into the silver ion casing wherein the plurality of silver plates are placed in the silver ion casing while being supported by the lid.

5. (Original) The washing machine according to claim 4, further comprising:
at least one spacing projection provided between the pair of silver plates, the spacing projection being upwardly projected from a bottom of the silver ion casing.

6. (Original) The washing machine according to claim 4, wherein the inlet hole is provided on an end of the lid to correspond to a first end of the silver ion casing and the outlet pipe is provided on a second end of the silver ion casing so that the silver ions dissociated from the pair of silver plates are added to the water while the water introduced into the silver ion casing through the inlet hole flows from the first end to the second end of the silver ion casing.

7. (Original) A washing machine, comprising:
a colloidal silver maker to produce colloidal silver;
a detergent feeder to feed a detergent;
a water tub provided under the detergent feeder; and
a connection pipe to integrally connect a lower end of a predetermined portion of the colloidal silver maker to an upper end of a corresponding portion of the detergent feeder so that the colloidal silver maker and the detergent feeder are integrated with each other, the colloidal silver being fed from the colloidal silver maker through the connection pipe to an upper portion of the detergent feeder.

8. (Original) The washing machine according to claim 7, wherein the detergent feeder comprises:

a body to define an external appearance of the detergent feeder, with the connection pipe being connected to a predetermined portion of the body;

a spray unit provided in the body to be disposed under the connection pipe, the spray unit having a plurality of spray holes to spray the colloidal silver fed through the connection pipe onto a lower portion of the body; and

a detergent container to slide through a front of the body, with the detergent being mixed with the colloidal silver sprayed through the spray holes in the detergent container.

9. (Original) The washing machine according to claim 8, wherein the detergent container is placed in the body of the detergent feeder while a bottom surface of the detergent container being spaced apart from a bottom surface and a rear surface of the body, so that the colloidal silver sprayed through the spray holes flows to a rear portion of the detergent container together with the detergent container in the detergent container, and then flows to a front portion of the body along the bottom surface of the body, prior to falling into the water tub.

10. (Original) The washing machine according to claim 7, wherein the colloidal silver maker comprises:

a silver ion casing to define a water passage through which water passes, with a connection pipe being provided on a predetermined portion of the silver ion casing;

a lid mounted to an upper portion of the silver ion casing with an inlet hole being provided on a predetermined portion of the lid to feed the water into the silver ion casing; and

a pair of silver plates placed in the silver ion casing while being supported by the lid.

11. (Original) The washing machine according to claim 10, wherein the inlet hole is provided on an end of the lid to correspond to a first end of the silver ion casing and the connection pipe is provided on a second end of the silver ion casing so that the silver ions dissociated from the pair of silver plates are added to the water while the water introduced into the silver ion casing through the inlet hole flows from the first end to the second end of the silver ion casing.

12. (New) The washing machine according to claim 1, wherein the detergent feeder receives water only through the colloidal silver maker.

13. (New) The washing machine according to claim 1, wherein the colloidal silver maker and the detergent feeder are disposed at an upper portion of the washing machine.